Tenseo Frontside 381

	Mechanical properties
Tensile strength (warp/weft) EN ISO 1421	330/330 daN/5 cm • 742/742 lbs/2 in
Tear strength (warp/weft) DIN 53.363	80/90 daN • 180/202 lbs
Adhesion EN ISO 2411	9 daN/5 cm • 20 lbs/2 in
	Fire resistance
Rating - International fire certificate available, such as*	NFPA 701 **Method 1** NFPA 701 **Method 2** **Class A**/ASTM E84 CSFM T19 AS/NZS **1530.3** **Group 1**/AS/NZS 3837 **B-s2,d0**/EN 13501-1
	Dimensions
Weight EN ISO 2286-2	550 g/m² • 16.2 oz/sq. yd
Thickness EN ISO 5084	0.95 mm • 950 microns
Width	267 cm • 105.1 in
Roll length	50 lm • 54.68 yd
	Complementary information
Front face	Metallic or pearl finish
Back face	Matt
Yarn	1100 Dtex PES HT
Porosity	28%
	Management system
	Quality: ISO 9001 • **Environment**: ISO 14001 • **Energy**: ISO 50001
	Certifications, labels, warranty

Précontraint® Technology

10-year warranty

***** Contact us for latest certificate updates & validities

[1] Summarizes the group's CSR project focused on human, to align economic performance and positive impact.

Mechanical properties are average values with a +/-5% tolerance, variance of +/-10% for weight given.

The purchaser of our products is responsible for their application or transformation in relation to possible third party rights. The purchaser of our products is responsible for their installation in compliance with the standards, working practices and safety regulations of their destination country. Please refer to our warranty document with regard to contractual liability.

Values quoted in this document are commonly used test results for design purposes. They are given for information only in order to offer our customers optimum usage of our products. Our products are subject to improvements resulting from technical developments and we reserve the right to modify their characteristics at any time. The purchaser of our products is responsible for checking the above data.

The colors and textures presented are included for information only.

Tenseo and Précontraint are Serge Ferrari sas registered trademarks.
Ref. 9324-GB • 02/2025 • 7€

EN

Photo credits: ©SergeFerrari, ©Mr Rajarajan, ©Philip Kistner Fotographie
©Pascal Le Doaré

Serge Ferrari group

sergeferrarigroup.com